
\$

\$



....

CH

\$		
MM MM MMM MMM MMMM MMM MMM MM MM MM MM M	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP

\$\$\$\$\$\$\$\$ \$\$\$\$\$\$\$\$

! Object Module Synopsis !

:

CH

1 2 16-SEP-1984 04:49 VAX-11 Linker V04-00 \$255\$DUA28:[UTIL32.OBJ]SETUSER.EXE:1 Page ! Image Section Synopsis! Type Pages Base Addr Disk VBN PFC Protection and Paging Cluster Global Sec. Name Match Majorid Minorid 00000200 00000400 00000600 7FFFD800 O READ WRITE COPY ON REF O READ WRITE FIXUP VECTORS O READ WRITE DEMAND ZERO 0 0 0 253 DEFAULT\_CLUSTER Key for special characters above: - Relocatable !

53

16-SEP-1984 04:49 VAX-11 Linker V04-00 \$255\$DUA28: [UTIL32.OBJ]SETUSER.EXE:1 Page 3 Program Section Synopsis! Psect Name Module Name Length Align Attributes Base SOWNS 00000200 0000021B 0000001C ( 28.) LONG 2 NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE, RD, WRT, NOVEC 28.) LONG 2 SETUSER 00000400 00000443 00000044 ( 00000400 00000443 00000044 ( 68.) LONG 2 NOPIC, USR, CON, REL, LCL, NOSHR, EXE, RD, NOWRT, NOVEC 68.) LONG 2 \$CODE\$ SETUSER

CH

16-SEP-1984 04:49 \_\$255\$DUA28:[UTIL32.OBJ]SETUSER.EXE;1 VAX-11 Linker V04-00 Page Symbol Cross Reference ! Symbol Defined By Referenced By ... Value CTL\$T\_USERNAME 7FFEFE9C SCH\$GC\_CURPCB 800021F8 SET\_USER 00000400-R SYS\$CMKRNL 7FFEDE90 SYS\$K\_VERSION 48513258 WRITE\_NAME 0000041A-R SYS SYS SETUSER SYS SYS SETUSER SETUSER SETUSER SETUSER

CH

16-SEP-1984 04:49 VAX-11 Linker V04-00 \$255\$DUA28:[UTIL32.OBJ]SETUSER.EXE;1 Page 5 ! Symbols By Value ! Symbols... Value R-SET\_USER
R-WRITE\_NAME
SYS\$K\_VERSION
SYS\$CMKRNL
CTL\$T\_USERNAME
SCH\$GE\_CURPCB 00000400 0000041A 48513258 Key for special characters above: Undefined
 Universal
 Relocatable
 X - External

CH

```
CH
```

```
M 2
16-SEP-1984 04:49
$255$DUA28:[UTIL32.OBJ]SETUSER.EXE:1
                                                                                                      VAX-11 Linker V04-00
                                                                                                                                            Page
                                                          Image Synopsis
Virtual memory allocated:
                                                         00000200 000007FF 00000600 (1536. bytes, 3. pages)
Stack size:
                                                                20. pages
Image header virtual block limits: Image binary virtual block limits:
                                                                                      1. block)
3. blocks)
Image name and identification:
Number of files:
                                                         SETUSER VO4-000
Number of modules:
Number of program sections:
Number of global symbols:
Number of cross references:
Number of image sections:
                                                         00000400
User transfer address:
Image type:
Map format:
                                                         EXECUTABLE.
                                                          FULL WITH CROSS REFERENCE in file _$255$DUA28:[UTIL32.LIS]SETUSER.MAP;1
Estimated map length:
                                                          13. blocks
                                                     ! Link Run Statistics !
Performance Indicators
                                                         Page Faults
                                                                         CPU Time
                                                                                            Elapsed Time
                                                                         00:00:00.17
                                                                                            00:00:00.26
                                                                    88
68
25
32
17
    Command processing:
                                                                         00:00:00.57
                                                                                            00:00:03.41
    Pass 1:
                                                                                            00:00:00.65
                                                                         00:00:00.07
    Allocation/Relocation:
                                                                         00:00:00.12
                                                                                            00:00:01.12
    Pass 2:
                                                                                            00:00:00.11
                                                                         00:00:00.11
    Map data after object module synopsis:
    Symbol table output:
                                                                         00:00:00.02
Total run values:
                                                                         00:00:01.06
Using a working set limited to 750 pages and 31 pages of data storage (excluding image)
Total number object records read (both passes): 148
of which 16 were in libraries and 5 were DEBUG data records containing 166 bytes
```

Number of modules extracted explicitly = 1 with 0 extracted to resolve undefined symbols

O library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXE\$:SETUSER/MAP=MAP\$:SETUSER/FULL/CROSS/NOTRACE LIB\$:UTIL32/INCLUDE=(SETUSER),EXSM:SYS.STB/SELECTIVE

0429 AH-BT13A-SE

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

